

where ever
you go....
take a smile
with you



CASE COMPENDIUM

Contact with us: 9849492909
support@mydentaligners.com

Chief Complaint: Misaligned upper and lower front teeth

Diagnosis: Angles class II malocclusion with crowding in upper & lower anteriors.

PRETREATMENT ORAL IMAGES



POST TREATMENT ORAL IMAGES



Treatment Plan: Controlled tipping of upper and lower anteriors
Expansion done in anterior region for alignment of teeth
Severely malpositioned premolars not corrected as it is beyond the scope of aligner therapy.

Case Type: Intermediate (23 sets).

Attachments: Retentive attachments - 16, 14, 24, 26, 36, 34, 44, 46.

Rotation Attachments - 11, 12, 13, 23

Biplanar attachments - 22

Duration of Treatment: 11 & ½ months.

Critical Appraisal: Good finish achieved in stipulated time frame. Better results could have been achieved with a few refinement sets.

Retention Protocol: Upper and lower lingual bonded retainer.

Removable essix retainer at night time wear for 1 year.

Chief Complaint: Spacing in teeth and forwardly placed upper front teeth

Diagnosis: : Angles class II malocclusion with crowding in upper anteriors & spacing with lower anteriors.

PRETREATMENT ORAL IMAGES



POST TREATMENT ORAL IMAGES



Treatment Plan: Controlled tipping of upper and lower anteriors.

IPR done in upper anterior region for alignment and retraction of teeth.

Lower alignment done using pre-existing spaces.

Case Type: Lite (20 sets).

Attachments: Retentive attachments - 16, 14, 24, 26, 36, 34, 44, 46.

Vertical Attachments – 32, 42

Extrusion attachments – 12, 22

Duration of Treatment: 10 months.

Critical Appraisal: Good finish achieved in stipulated time frame.

Retention Protocol: Upper and lower lingual bonded retainer

Removable essix retainer at night time wear for 1 year.

Chief Complaint: Space closure and proclination correction.

Diagnosis: Angles class 1 malocclusion with anterior Spacing and proclination.

PRETREATMENT ORAL IMAGES



POST TREATMENT ORAL IMAGES



Treatment Plan: Spaces closed.

Case Type: (23 sets).

Attachments: 16, 12, 22, 26, 36, 32,42,46

Duration of Treatment: 11.5 months.

Critical Appraisal: Results achieved in time Bite settling required.

Retention Protocol: Frenectomy and Upper and lower fixed retention & removable essix retainer at night time wear for 1 year.

Chief Complaint: Proclination and Space correction

Diagnosis: Angles class 1 malocclusion with anterior Spaces and Proclination.

PRETREATMENT ORAL IMAGES



POST TREATMENT ORAL IMAGES



Treatment Plan: Spaces closed, proclination corrected.

Case Type: (16 sets).

Attachments: Retentive attachments: 16,12,22, 26, 36, 46

Mesiodistal Movement – 13,11,21,23, 33,31,41,43

Duration of Treatment: 8 months.

Critical Appraisal: Results achieved in time Bite settling required.

Retention Protocol: Frenectomy and Upper and lower fixed retention & removable essix retainer at night time wear for 1 year.

NOW CONNECT WITH THE MY DENT TEAM



www.mydentaligners.com

 9849492909

 www.mydentaligners.com

 support@mydentaligners.com