MyDent Clear Aligners

where ever you go.... take a smile with you



Contact with us:

9849492909 mydentaligners@gmail.com Chief Complaint: Crocked and forwardly placed teeth

. **Diagnosis:** Angles class II malocclusion with crowding in upper and lower anteriors.

PRETREATMENT ORAL IMAGES







POST TREATMENT ORAL IMAGES







Treatment Plan: ·IPR done in upper arch for alignment and proclination correction Planning done making sure there is no collision of teeth while alignment is done. Lower arch alignment done using expansion.

Case Type: Lite category (21 sets)

Attachments: Retentive attachments - 16, 13, 23, 26, 36, 34, 44, 46.

Vertical Attachments – 11. Button attachments for class 2 elastics–13, 23, 36, 46.

Duration of Treatment: 13 months including refinements.

Critical Appraisal: Good finish achieved in stipulated time frame. Good class I

molar relationship achieved after using class 2 elastics.

Retention Protocol: Upper and lower lingual bonded retianer.

Removable essix retainer at night time wear for 1 year.

Patient Name: Volume 56 - Patient 2

Doctor Name: Dr. Purvi Shastry

MR No.: MR1171170 Clinic Name: Thane

Chief Complaint: Spaces in front teeth and forwardly placed teeth.

Diagnosis: Angles class I malocclusion with spaces in upper anteriors and mild

crowding in lower anteriors.

PRETREATMENT ORAL IMAGES







POST TREATMENT ORAL IMAGES







Treatment Plan: Controlled tipping of upper anterior teeth done for space closure Torque managed while tipping the teeth during space closure. IPR done in lower anterior teeth to correct crowding. Planning done making sure there is no collision of teeth while alignment is done. Case Type: Lite category (17 sets) Attachments: Retentive attachments - 17, 14, 24, 27, 37, 34, 44, 47. Vertical Attachments - 32, 42. Extrusion attachments - 12, 22 Duration of Treatment: 8 & ½ months Critical Appraisal: Good finish achieved in stipulated time frame. Retention Protocol: Upper and lower lingual bonded retiane. Removable essix retainer at night time wear for 1 year.

Chief Complaint: Spaces in front teeth.

Diagnosis: Angles class II malocclusion with crowding in upper anteriors & spaces in lower anteriors.

PRETREATMENT ORAL IMAGES







POST TREATMENT ORAL IMAGES







Treatment Plan: IPR done in upper arch for alignment and proclination correction Planning done making sure there is no collision of teeth while alignment is done Lower arch spaces closed by controlled tipping and torquing of the anterior teeth.

Case Type: Lite category (12 sets)

Attachments: Retentive attachments - 16, 26, 37, 34, 44, 47. Vertical Attachments – 31, 41. Extrusion attachments – 12, 22

Duration of Treatment: 8 months including refinements.

Critical Appraisal: Good finish achieved in stipulated time frame.

Retention Protocol: Upper and lower lingual bonded retianer. Removable essix

retainer at night time wear for 1 year.

Chief Complaint: Spaces in front teeth and forwardly placed teeth **Diagnosis:** Angles class I malocclusion with spaces in upper and lower anteriors.

PRETREATMENT ORAL IMAGES







POST TREATMENT ORAL IMAGES







Treatment Plan: Controlled tipping of anterior teeth done for space closure Torque managed while tipping the teeth during space closure

Planning done making sure there is no collision of teeth while alignment is done.

Case Type: Lite category (12 sets)

Attachments: Retentive attachments - 16, 26, 36, 34, 44, 46.

Vertical Attachments – 32, 31, 41, 42.

Extrusion attachments – 12, 22.

Root Control Attachments – 11, 21.

Duration of Treatment: 6 months. **Critical Appraisal:** Good finish achieved in stipulated time frame.

Retention Protocol: Upper and lower lingual bonded retianer. Removable essix

retainer at night time wear for 1 year.



NOW CONNECT WITH THE MY DENT TEAM



www.mydentaligners.com

- **9849492909**
- www.mydentaligners.com
- support@mydentaligners.com