

where ever you go.... take a smile with you

CASE COMPENDIUM

Contact with us: 9849492909 support@mydentaligners.com

Chief Complaint: Forwardly placed upper front teeth. **Diagnosis:** Angles class II malocclusion with proclined upper anteriors.

PRETREATMENT ORAL IMAGES



POST TREATMENT ORAL IMAGES



Treatment Plan: Controlled tipping of upper anteriors for proclination correction. IPR done with upper anteriors for retraction.

Case Type: Lite Case (13 sets)

Attachments: Retentive Attachments - 16, 14, 24, 26, 36, 34, 44, 46.

Extrusion Attachments - 12, 22, Vertical Attachments - 32, 42

Duration of Treatment: 10 months including refinements.

Critical Appraisal: Good finish achieved in stipulated time frame.

Retention Protocol: Upper and lower lingual bonded retianer, Removable essix retainer at night time wear for 1 year.

Chief Complaint: Spacing in upper front teeth.

Diagnosis: Angles class I malocclusion with spacing in upper anteriors and mild crowding in lower anteriors.

PRETREATMENT ORAL IMAGES



POST TREATMENT ORAL IMAGES



Treatment Plan: Controlled tipping of upper anteriors space closure. IPR done with lower anteriors for alignment.

IPR done with upper and lower posteriors for proclination correction.

Case Type: Lite Case (20 sets)

Attachments: Retentive Attachments - 16, 14, 24, 26, 36, 34, 44, 46. Extrusion Attachments - 12, 22. Vertical Attachments – 32, 42

Duration of Treatment: 10 months

Critical Appraisal: Good finish achieved in stipulated time frame

Retention Protocol: Upper and lower lingual bonded retianer.

Removable essix retainer at night time wear for 1 year.

Chief Complaint: Patient wants an Asthetic smile.

Diagnosis: Angles class I malocclusion with spacing in upper and lower anteriors.

PRETREATMENT ORAL IMAGES



POST TREATMENT ORAL IMAGES



Treatment Plan: Controlled tipping of upper and lower anteriors for space closure. IPR done with lower anteriors for Bolton's discrepancy. IPR done with upper anterior for eliminating black triangles formed during space closure.

Case Type: Intermediate Case (30 sets).

Attachments: Retentive Attachments - 16, 14, 24, 26, 36, 34, 44, 46.

Extrusion Attachments - 12, 22. Vertical Attachments – 32, 42.

Duration of Treatment: 15 months

Critical Appraisal: Good finish achieved in stipulated time frame.

Retention Protocol: Upper and lower lingual bonded retianer.

Removable essix retainer at night time wear for 1 year.

Chief Complaint: Forwardly placed front teeth

. **Diagnosis:** Angles class I malocclusion with spacing in upper and lower anteriors.

PRETREATMENT ORAL IMAGES



POST TREATMENT ORAL IMAGES



Treatment Plan: Controlled tipping of upper and lower anteriors for space closure. IPR done with lower anteriors to balance Bolton's discrepancy.

Case Type: Intermediate Case (28 sets).

Attachments: Retentive Attachments - 16, 14, 24, 26, 36, 34, 44, 46. Extrusion Attachments - 12, 22. Vertical Attachments – 32, 42 Root Control Attachments – 11, 21.

Duration of Treatment: 14 months

Critical Appraisal: Good finish achieved in stipulated time frame.

Retention Protocol: Upper and lower lingual bonded retianer.

Removable essix retainer at night time wear for 1 year.



NOW CONNECT WITH THE MY DENT TEAM



www.mydentaligners.com

9849492909

- www.mydentaligners.com
- support@mydentaligner.com