

Contact with us:

9849492909 support@mydentaligners.com

ALIGNERS PROVIDER PROGRAM

Chief Complaint: Space closure.

Diagnosis: Angles class 1 malocclusion with anterior openbite and protrusion.

PRETREATMENT ORAL IMAGES







POST TREATMENT ORAL IMAGES







Treatment Plan: Openbite closed, protrusion corrected corrected using IPR.

Case Type: (28 sets)

Attachments: Retentive attachments - 16, 12, 22, 26, 36, 46 Button with elastics - 13 to 23 & 33 to 43 with box elastics.

Duration of Treatment: 14 months

Critical Appraisal: Results achieved in time Bite settling required.

Retention Protocol: Frenectomy, Upper and lower fixed retention and removable

essix retainer at night time wear for 1 year.

Chief Complaint: Space closure and proclination

correction.

Diagnosis: Angles class 1 malocclusion with anterior

Spaces.

PRETREATMENT ORAL IMAGES







POST TREATMENT ORAL IMAGES







Treatment Plan: Spaces closed, Maximum Proclination correction possible with Aligners and IPR have been completed.

Case Type: (26 sets)

Attachments: Retentive attachments - 16, 14, 12, 22, 24, 26, 36, 34, 44, 46

Mesiodistal movement attachment – 11,21

Duration of Treatment: 13 months

Critical Appraisal: Results achieved in time Bite settling required.

Retention Protocol: Frenectomy and Upper and lower fixed retention and

removable essix retainer at night time wear for 1 year.

Chief Complaint: Space closure.

Diagnosis: Angles class 1 malocclusion with

Space.

PRETREATMENT ORAL IMAGES







POST TREATMENT ORAL IMAGES







Treatment Plan: Spaces closed.

Case Type: (11 sets)

Attachments: Retentive attachments - 16, 14, 22, 24, 26, 36, 34, 44, 46

Mesiodistal movement – 31, 41

Duration of Treatment: 5.5 months

Critical Appraisal: Results achieved in time Bite settling required.

Retention Protocol: Frenectomy, Upper and lower fixed retention and Removable

essix retainer at night time wear for 1 year.

Chief Complaint: Proclination and Crowding correction. **Diagnosis:** Angles class 1 malocclusion with anterior Crowding.

PRETREATMENT ORAL IMAGES







POST TREATMENT ORAL IMAGES







Treatment Plan: Crowding corrected.

Case Type: (14 sets)

Attachments: Retentive attachments - 16,14,24, 26, 36, 34, 44, 46

Duration of Treatment: 7 months

Critical Appraisal: Results achieved in time, Bite settling required.

Retention Protocol: Frenectomy, Upper and lower fixed retention and removable

essix retainer at night time wear for 1 year.



NOW CONNECT WITH THE MY DENT TEAM



www.mydentaligners.com

- **9849492909**
- www.mydentaligners.com
- support@mydentaligners.com